Building Site Development

1 1	Pct.   of  map  unit	basements	Dwellings without   basements		Dwellings with   basements 		Small commercial   buildings 	
	     			Rating class and   limiting features				
40D: Fayette	     95   	Shrink-swell	,	    Somewhat limited   Shrink-swell   Slope		    Very limited   Slope   Shrink-swell	    1.00  0.50	
41B: Sparta	    -  100	    Not limited 		    Not limited 		    Somewhat limited   Slope	0.01	
41C: Sparta	100	    Not limited 	     	    Not limited 		    Somewhat limited   Slope	0.86	
41D: Sparta	100		0.63	    Somewhat limited   Slope	0.63	    Very limited   Slope	11.00	
63B: Chelsea	     95 	    Not limited 	     	    Not limited 		    Somewhat limited   Slope	0.01	
63C: Chelsea	     95 	    Not limited 		    Not limited 		    Somewhat limited   Slope	10.86	
63D: Chelsea	     95 		0.63		0.63	    Very limited   Slope	11.00	
63E: Chelsea	90	    Very limited   Slope	1 1.00	=		    Very limited   Slope	11.00	
63F: Chelsea	     95 	    Very limited   Slope		  Very limited   Slope		    Very limited   Slope	11.00	
63G: Chelsea	     95 	    Very limited   Slope		  Very limited   Slope		    Very limited   Slope	11.00	
85: Eitzen	     95   	  Very limited   Flooding 	1.00	  Very limited   Flooding   Depth to   saturated zone		  Very limited   Flooding 	11.00	

Building Site Development

and soil name	Pct.   of  map  unit	basements	ut	Dwellings with basements		Small commercia   buildings 	ıl
	     			Rating class and   limiting features			
85B: Eitzen	     95     	    Very limited   Flooding   	1 1.00	Flooding		    Very limited   Flooding   Slope 	1 1.00
98: Huntsville	   95   	Flooding				  Very limited   Flooding   Shrink-swell	1 1.00
98B: Huntsville	   95     	  Very limited   Flooding   Shrink-swell		  Very limited   Flooding   Shrink-swell		  Very limited   Flooding   Shrink-swell   Slope	  1.00  0.50  0.01
118: Garwin	1 100 1	  Very limited   Depth to   saturated zone   Shrink-swell		  Very limited   Depth to   saturated zone   Shrink-swell	1 1.00	saturated zone	1 1.00
119B: Muscatine	   95     	    Somewhat limited   Shrink-swell   	    0.50	saturated zone	    0.95    0.50	İ	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
120B: Tama	   95   	    Somewhat limited   Shrink-swell 	      0.50	    Somewhat limited   Shrink-swell 		  Somewhat limited   Shrink-swell   Slope	    0.50  0.01
120C: Tama	   95   	  Somewhat limited   Shrink-swell 	    0.50	  Somewhat limited   Shrink-swell 	    0.50	  Somewhat limited   Slope   Shrink-swell	    0.86  0.50
129B: Arenzville	50 	  Very limited   Flooding   Shrink-swell	1.00	  Very limited   Flooding   Shrink-swell	11.00	  Very limited   Flooding   Shrink-swell	11.00
Chaseburg	45   	  Very limited   Flooding 	1 1.00	  Very limited   Flooding 	1.00	  Very limited   Flooding 	1 1.00

Building Site Development

and soil name	Pct.   of  map  unit	basements	ut	Dwellings with basements		Small commercia buildings	ıl
	     	=		   Rating class and   limiting features 		=	
140B: Sparta	1100	 		    Not limited		    Somewhat limited   Slope	
140C: Sparta	100	  Not limited 	 	  Not limited 		  Somewhat limited   Slope	    0.86
142: Chaseburg	   95 	. =		    Very limited   Flooding		    Very limited   Flooding	1 1.00
162B: Downs	   90 	•	      0.50	    Somewhat limited   Shrink-swell 	10.50	    Somewhat limited   Shrink-swell   Slope	    0.50  0.01
162B2: Downs	     90 	•	•	    Somewhat limited   Shrink-swell 	      0.50	    Somewhat limited   Shrink-swell   Slope	      0.50  0.01
162C: Downs	   85   	•	      0.50	    Somewhat limited   Shrink-swell 	      0.50	    Somewhat limited   Slope   Shrink-swell	    0.86  0.50
162C2: Downs	   85 	•	      0.50	  Somewhat limited   Shrink-swell 	    0.50	    Somewhat limited   Slope   Shrink-swell	      0.86  0.50
162D: Downs	   85   	Slope		  Somewhat limited   Slope   Shrink-swell		  Very limited   Slope   Shrink-swell	1 1.00 10.50
162D2: Downs	   85   		    0.63  0.50	  Somewhat limited   Slope   Shrink-swell		  Very limited   Slope   Shrink-swell	11.00
162E2: Downs	   85   			  Very limited   Slope   Shrink-swell			1 1.00

Building Site Development

and soil name	Pct.   of  map  unit	of   basements		Dwellings with   basements   		Small commercia   buildings   	ıl
	     	Rating class and   limiting features		Rating class and   limiting features		Rating class and   limiting features	Value
163B: Fayette	90		1   1   1   1   1   1   1   1   1   1	    Somewhat limited   Shrink-swell	0.50	    Somewhat limited   Shrink-swell   Slope	    0.50  0.01
163B2: Fayette	   90   		1 1 1 0.50	  Somewhat limited   Shrink-swell 	0.50	  Somewhat limited   Shrink-swell   Slope	0.50
163C: Fayette	   85   	  Somewhat limited   Shrink-swell 	10.50	  Somewhat limited   Shrink-swell 	0.50	  Somewhat limited   Slope   Shrink-swell	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
163C2: Fayette	   85   		10.50	  Somewhat limited   Shrink-swell	0.50	  Somewhat limited   Slope   Shrink-swell	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
163D: Fayette	     85   	Slope	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			  Very limited   Slope   Shrink-swell	1 1.00 10.50
163D2: Fayette	   85   	Slope	10.63		10.63		11.00
163E: Fayette	   85   	Slope	1.00	•		  Very limited   Slope   Shrink-swell	11.00
163E2: Fayette	   85   	Slope	1.00	•	1.00	•	11.00
163F: Fayette	   85   		1.00		11.00		11.00

Building Site Development

Map symbol and soil name	Pct.   of  map  unit	basements	ut	Dwellings with basements		Small commercia buildings	al
	     	   Rating class and   limiting features 		Rating class and   limiting features 			
163G:		 		 		 	1
Fayette	85     	Slope	11.00	Slope		  Very limited   Slope   Shrink-swell 	  1.00  0.50
178B: Waukee	1100	  Not limited	 	  Not limited		  Not limited	
196B: Volney		Flooding	11.00	·	11.00	  Very limited   Flooding   Content of large   stones   Slope	  1.00  1.00    0.01
196C: Volney	  100     	Flooding	11.00		11.00	Content of large   stones	  1.00  1.00    0.86
206C: Shullsburg	     95 	Shrink-swell		  Very limited   Depth to   saturated zone   Shrink-swell	11.00	  -  Somewhat limited   Shrink-swell     Slope	    0.50    0.48
	     	saturated zone   saturated zone	0.39     	İ	İ	Ì	10.40
210E: Boone	   95     	    Very limited   Slope   	      0.96   		      0.96  0.46		1 1.00
210F: Boone	95			Slope	1 1.00		1 1.00

Building Site Development

Map symbol and soil name	Pct.   of  map  unit	basements	ut	Dwellings with basements		Small commercia   buildings 	ıl
	     			Rating class and   limiting features			
210G: Boone	   95     		      1.00 	•	    1.00  0.46	•	1 1.00
249C: Zwingle	95	Depth to saturated zone	11.00	Depth to saturated zone	11.00	  Very limited   Depth to   saturated zone   Shrink-swell   Slope	  1.00    1.00  0.12
291: Atterberry	95		0.39	  Very limited   Depth to   saturated zone		  Somewhat limited   Depth to   saturated zone	0.39
320: Arenzville	95	Flooding		. 2		  Very limited   Flooding   Shrink-swell	1 1.00
478G: Nordness	   50     	Slope	1.00  1.00 		1.00  1.00	  Very limited   Slope   Depth to hard   bedrock   Shrink-swell	    1.00  1.00    0.50
Rock Outcrop	   40 	  Not rated   	     	  Not rated   	     	  Not rated   	     
484: Lawson	     95       	Flooding		Depth to   saturated zone	           1.00   1.00       0.50	Depth to saturated zone	      1.00  0.39   

Building Site Development

and soil name	Pct.   of  map  unit	basements	Dwellings with basements		Small commercia   buildings 	ıl	
	     			Rating class and   limiting features			
485: Spillville		Flooding	1.00  0.50	Flooding   Depth to   saturated zone	1.00  0.61	•	1.00
487B: Otter		Flooding	1.00  1.00	Flooding   Depth to   saturated zone	1.00  1.00	saturated zone	11.00
Worthen	45	Not limited		Not limited		Not limited	
490: Caneek	İ	Flooding	11.00	Flooding   Depth to   saturated zone	1.00  1.00	•	11.00
499C: Nordness		Depth to hard bedrock	11.00	Depth to hard bedrock	1.00    0.50	  Very limited   Depth to hard   bedrock   Slope   Shrink-swell	    1.00    0.86  0.50
499D: Nordness	   95   	Depth to hard bedrock	1.00	Depth to hard   bedrock   Slope	1.00    0.63	Depth to hard	    1.00    1.00
499D2:	     					bedrock   Shrink-swell 	  0.50 
	95	bedrock	1.00 	Depth to hard   bedrock   Slope	1.00    0.63	Very limited   Slope     Depth to hard	11.00
	 	   Shrink-swell 	  0.50 	1		bedrock   Shrink-swell 	  0.50 

Building Site Development

and soil name	Pct.   of  map  unit	basements	Dwellings with basements		Small commercia   buildings 	ıl	
	     			Rating class and   limiting features 			
199E:	 	 	 	 	 	 	 
Nordness	95   			· ±	11.00	Very limited   Slope 	11.00
		Slope	11.00	Slope	1.00 	Depth to hard   bedrock	11.00
		Shrink-swell	0.50	Shrink-swell		Shrink-swell	0.50
199E2: Nordness	     90 	Depth to hard	11.00	Depth to hard	11.00	    Very limited   Slope	11.00
		bedrock   Slope	11.00	bedrock   Slope	11.00	   Depth to hard	11.00
		   Shrink-swell	0.50	Shrink-swell	10.50	bedrock   Shrink-swell	10.50
199F:		 		 		 	
Nordness	90       	Slope   Depth to hard   bedrock	11.00	Depth to hard bedrock	11.00	bedrock	  1.00  1.00    0.50
199G: Nordness	     95	    Very limited	   	    Very limited	   	    Very limited	
	     	Slope   Depth to hard   bedrock	1.00  1.00	Slope   Depth to hard   bedrock	11.00	Slope   Depth to hard   bedrock   Shrink-swell	1.00  1.00    0.50
589: Otter	     90	    Very limited	   	    Very limited	   	    Very limited	   
	       		11.00	Depth to		Depth to saturated zone	1.00  1.00 
703C: Dubuque	   90 	Depth to hard	0.84	    Very limited   Depth to hard   bedrock		    Somewhat limited   Slope 	10.86
	   		0.50		0.50	   Depth to hard   bedrock	0.84
	ļ.	[	1		1	Shrink-swell	0.50

Building Site Development

Map symbol and soil name	Pct.   of  map  unit	basements	ut	Dwellings with basements  I		Small commercia buildings	al
	 	Rating class and   limiting features	Value   	Rating class and   limiting features		Rating class and   limiting features	Value
703C2:	-	 	'   	 	   	 	-
Dubuque	·  95   	Somewhat limited   Depth to hard   bedrock	0.84	Very limited   Depth to hard   bedrock	11.00	Somewhat limited   Slope	10.86
	   	Shrink-swell   	0.50   	Shrink-swell   	0.50   	Depth to hard   bedrock   Shrink-swell	0.84    0.50
703D:	İ	 	į i	 	i i	 	
	95   	Somewhat limited   Depth to hard   bedrock	0.84	Very limited   Depth to hard   bedrock	1.00	Very limited   Slope	11.00
	İ	Slope	0.63	•	0.63	Depth to hard   bedrock	0.84
		Shrink-swell	0.50	Shrink-swell	0.50	Shrink-swell	0.50
703D2:				 		 	
Dubuque	·  90   	Somewhat limited   Depth to hard   bedrock	0.84	Very limited   Depth to hard   bedrock	11.00	Very limited   Slope 	11.00
		Slope 	0.63 	Slope	0.63 	Depth to hard   bedrock	0.84 
	 	Shrink-swell	0.50 	Shrink-swell	0.50 	Shrink-swell	0.50 
703E: Dubuque	  -  90	  Very limited	İ	    Very limited	i i	    Very limited	į
zasaque		Slope	1.00		1.00		1.00
	i	Depth to hard   bedrock	0.84	'	1.00	Depth to hard   bedrock	0.84
	İ	Shrink-swell	0.50	Shrink-swell	0.50	Shrink-swell	0.50
703E2: Dubuque	 .1 85	    Very limited	İ	    Very limited	į į	    Very limited	į
Dubuque	03	Slope	1.00	=	1.00	_	1.00
	İ	Depth to hard   bedrock	0.84	Slope	1.00	Depth to hard   bedrock	0.84
		Shrink-swell	0.50	Shrink-swell	0.50	Shrink-swell	0.50
703F: Dubuque	  -  90	  Very limited	į i	  Very limited	i i	  Very limited	İ
		Slope	1.00	Slope	11.00	Slope	11.00
		Depth to hard   bedrock	0.84	bedrock	1.00	bedrock	0.84
		Shrink-swell	0.50 	Shrink-swell	0.50 	Shrink-swell	0.50 

Building Site Development

Map symbol and soil name	Pct.   of  map  unit	basements	ut	Dwellings with basements		Small commercia   buildings   	al
	     			Rating class and   limiting features 			
721C: Massbach	     90   	•	    0.50 	Depth to   saturated zone	0.61 	    Somewhat limited   Shrink-swell       Slope	    0.50    0.48
721D: Massbach	90	  Somewhat limited   Slope   Shrink-swell 	0.63	Slope   Depth to   saturated zone		İ	  1.00  0.50
740C: Hawick	    -  95 	    Not limited 		    Not limited 		    Somewhat limited   Slope	1 1 1 0.48
740G: Hawick						    Very limited   Slope	1 1.00
778B: Sattre	     90	    Not limited 	     	    Not limited	     	    Not limited	
793B: Bertrand	   90   	•		  Somewhat limited   Shrink-swell 		  Somewhat limited   Shrink-swell   Slope	    0.50  0.01
793C: Bertrand	  -   90    -			  Somewhat limited   Shrink-swell	0.50	  Somewhat limited   Slope   Shrink-swell	    0.86  0.50
793D2: Bertrand	     95   	  Somewhat limited   Slope   Shrink-swell	10.63	Slope	0.63	· · · · · · · · · · · · · · · · · · ·	11.00
793E: Bertrand	     95     	Slope		    Very limited   Slope   Shrink-swell 		  Very limited   Slope   Shrink-swell 	    1.00  0.50

Building Site Development

and soil name	Pct.   of  map  unit	basements	ut	Dwellings with basements		Small commercia   buildings 	al
	     	   Rating class and   limiting features 		Rating class and   limiting features		Rating class and   limiting features	Value
826: Rowley	95			  -  Very limited   Depth to   saturated zone	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	    Somewhat limited   Depth to   saturated zone	      0.39
837C: Village	90			  Somewhat limited   Shrink-swell	10.50	  Somewhat limited   Slope   Shrink-swell	    0.86  0.50
837C2: Village	   90 		0.50	  Somewhat limited   Shrink-swell	0.50	  Somewhat limited   Slope   Shrink-swell	    0.86  0.50
837D: Village	   90 	Slope	    0.63  0.50		    0.63  0.50	-	    1.00  0.50
837D2: Village	   90 	Slope	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			  Very limited   Slope   Shrink-swell	    1.00  0.50
837E: Village	   90 	Slope		  Very limited   Slope   Shrink-swell		  Very limited   Slope   Shrink-swell	1 1.00 10.50
837E2: Village	   85   	Slope		  Very limited   Slope   Shrink-swell		  Very limited   Slope   Shrink-swell	11.00
837F: Village	90	Slope	11.00		11.00	•	11.00
838C2: Allamakee	   90   		    0.50	  Very limited   Shrink-swell 	11.00	  Somewhat limited   Slope   Shrink-swell	    0.86  0.50

Building Site Development

and soil name	of  map	Pct.  Dwellings without   of   basements  map    unit		Dwellings with basements	Small commercia   buildings   	ıl	
				Rating class and   limiting features			
838D: Allamakee	   90 	Slope	0.63	Slope		Slope	    1.00  0.50
838D2: Allamakee		Slope		Shrink-swell	11.00	    Very limited   Slope   Shrink-swell	1 1.00 10.50
838E2: Allamakee	   85   	Slope	1.00	Shrink-swell	11.00		11.00
840E: Lacrescent	   90   	Slope	1.00  0.18		1.00	  Very limited   Slope   Content of large   stones	  1.00  0.18
840F: Lacrescent	   90     	Slope   Content of large	1.00  0.18		1.00  0.18		    1.00  0.18
840G: Lacrescent	   90     	  Very limited   Slope   Content of large   stones	11.00	  Very limited   Slope   Content of large   stones	11.00	  Very limited   Slope   Content of large   stones	11.00
841G: Rock Outcrop	   50 	    Not rated   	 	    Not rated   	 	    Not rated   	  -  -  -
Boone	   35     	<del>-</del>	      1.00   	Slope	      1.00  0.46		      1.00   

Building Site Development

and soil name	Pct.   of  map  unit	basements	ut	Dwellings with basements		Small commercial   buildings 	
	     			Rating class and   limiting features			
843: Elon	   95       	Flooding	1.00  0.50	Flooding   Depth to		Ì	    1.00  0.50
861D: Yellowriver	   85 	Slope				  Very limited   Slope   Shrink-swell	    1.00  0.50
861D2: Yellowriver	     90   	Slope	0.63	Slope	0.63	Slope	    1.00  0.50
861E: Yellowriver	     85   	    Very limited   Slope   Shrink-swell		Slope		    Very limited   Slope   Shrink-swell	    1.00  0.50
861E2: Yellowriver	   90 	Slope		Slope		    Very limited   Slope   Shrink-swell	    1.00  0.50
861F: Yellowriver	   90 	Slope		Slope		  Very limited   Slope   Shrink-swell	    1.00  0.50
861g: Yellowriver	   95   	Slope	1.00		1.00	•	1 1.00 10.50
862D: Churchtown	   90 			Slope		  Very limited   Slope   Shrink-swell	1 1.00 10.50
862D2: Churchtown	   90   	  Somewhat limited   Slope   Shrink-swell 	10.63		    0.63  0.50		1 1.00 10.50

Building Site Development

and soil name	Pct.   of  map  unit	basements	ut	Dwellings with basements		Small commercial   buildings   	
	     	Rating class and limiting features		Rating class and   limiting features		<del>_</del>	
862E: Churchtown	     85 	Slope	1 1.00	Slope	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	•	    1.00  0.50
862E2: Churchtown	   85   	  Very limited   Slope   Shrink-swell	1.00	•	1.00	•	11.00
862F: Churchtown	   90   	  Very limited   Slope   Shrink-swell	1.00	•	1 1.00		11.00
903C2: Frankville	   90 	Shrink-swell	0.50 	bedrock	11.00	İ	      0.86
		Depth to hard   bedrock 	0.46   	Shrink-swell	0.50   	Shrink-swell     Depth to hard   bedrock	0.50    0.46
903D: Frankville	       90	      Somewhat limited   Slope	1   1   1   1   1   1   1   1   1   1	•	1   1   1   1   1   1   1   1   1   1	    Very limited	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
		   Shrink-swell   Depth to hard   bedrock	0.50  0.46	•	  0.63  0.50		0.50  0.46
903D2: Frankville	     90 	    Somewhat limited   Slope 	1   0.63	    Very limited   Depth to hard   bedrock	1 1.00	    Very limited   Slope 	1 1.00
		Shrink-swell   Depth to hard   bedrock	0.50  0.46	•	0.63  0.50	Depth to hard	0.50  0.46
903E2: Frankville	     85 	    Very limited   Slope 	1 1.00	    Very limited   Depth to hard   bedrock	1   1.00	    Very limited   Slope	1   1   1   1   1   1   1   1   1   1
		   Shrink-swell   Depth to hard   bedrock	0.50  0.46	Slope	1.00  0.50		0.50  0.46

Building Site Development

and soil name	Pct.   of  map  unit	basements	ut	Dwellings with		Small commercial buildings	
	     			Rating class and   limiting features			
912C: Paintcreek	     85 	    Very limited   Shrink-swell		    Very limited   Shrink-swell 	11.00	    Very limited   Shrink-swell   Slope	    1.00  0.86
912D: Paintcreek	   90 	Shrink-swell   Slope	1.00  0.63	Shrink-swell   Slope	11.00	· · · · L ·	11.00
912D2: Paintcreek	   90 	  Very limited   Shrink-swell	    1.00		11.00		    1.00  1.00
912E: Paintcreek		Shrink-swell	11.00	Shrink-swell	11.00	  Very limited   Slope   Shrink-swell	    1.00  1.00
912E2: Paintcreek		Shrink-swell   Slope	1.00  1.00		1.00		    1.00  1.00
912F: Paintcreek		  Very limited   Slope	11.00		11.00		1 1.00
930: Orion	   95     	Flooding   Depth to	1.00  0.39	Flooding	1.00  1.00	Depth to	11.00
951G: Medary	1100	Shrink-swell	11.00	Shrink-swell	11.00		    1.00  1.00
977: Richwood	     95 			    Somewhat limited   Shrink-swell		    Somewhat limited   Shrink-swell	      0.50

Building Site Development

and soil name	Pct.   of  map  unit	basements	ut	Dwellings with   basements   		Small commercial buildings	
	     			Rating class and   limiting features			
977B: Richwood	95			    Somewhat limited   Shrink-swell 	0.50	    Somewhat limited   Shrink-swell   Slope	      0.50  0.01
978B: Festina	   95 			  Somewhat limited   Shrink-swell	0.50	  Somewhat limited   Shrink-swell   Slope	0.50
978C: Festina	95	•	    0.50	  Somewhat limited   Shrink-swell	0.50	  Somewhat limited   Slope   Shrink-swell	10.86
981B: Worthen	90	    Not limited 	 	    Not limited 		  Somewhat limited   Slope	0.12
1120D: Lycurgus	   85   	Slope		    Somewhat limited   Slope   Shrink-swell	0.63	  Very limited   Slope   Shrink-swell	1 1.00 10.50
1120E: Lycurgus		Slope		  Very limited   Slope   Shrink-swell	1.00	  Very limited   Slope   Shrink-swell	11.00
1120F: Lycurgus	   90   	Slope		  Very limited   Slope   Shrink-swell		  Very limited   Slope   Shrink-swell	11.00
1490: Caneek	   95       	Flooding	1.00  1.00	  Very limited   Flooding   Depth to   saturated zone   Shrink-swell		saturated zone	11.00
1496: Arenzville	   45   	Flooding		  Very limited   Flooding   Shrink-swell	11.00	  Very limited   Flooding   Shrink-swell	1 1.00 10.50

Building Site Development

and soil name	Pct.   of  map  unit	basements	ut	Dwellings with basements		Small commercial   buildings 	
				Rating class and   limiting features			
Volney	   25     		1.00	  Very limited   Flooding   Content of large   stones	1.00		  1.00  1.00
1496B:	1	! 		! [		 	i
Arenzville		Flooding	11.00		11.00	Shrink-swell	  1.00  0.50  0.01
Volney	30       	Content of large	1.00	Content of large	1.00 	Content of large   stones	  1.00  1.00    0.01
1793G:	l I	 	1	1		 	1
Bertrand		Slope	1.00	Slope	1.00		11.00
Chelsea						  Very limited   Slope	11.00
2670: Ion	   95       	Flooding	1.00  0.50	Flooding   Depth to   saturated zone	1.00  0.61	Shrink-swell	11.00
5010: Pits, Sand And Gravel		    Not rated   	         	    Not rated   	       	    Not rated   	       
5030: Pits, Limestone Quarry	      100 	      Not rated 	       	      Not rated 		      Not rated 	

# Building Site Development

# Allamakee County, Iowa

Map symbol	  Pct.			   Dwellings with		   Small commercial	
and soil name	of	basements		basements		buildings	
	map	I		1		I	
	unit	. [		1		I	
		l		l		l	
				Rating class and		•	Value
		limiting features		limiting features		limiting features	
		<u> </u>	-	ļ	-!	<u> </u>	-!
5040:		1		 		 	
Orthents, Loamy	100	Not rated		Not rated		Not rated	
						!	
						1	
				1	1	1	
w: Water	1100	No+ ~ > + o d	1	  Not rated		  Not rated	
water	100	Not rated	I	Not rated	1	INOL Tated	I
	l I	1	1	1		I I	i
				1 		1	
	İ		<u> </u>	! 	<u> </u>	1	i
		:'	- '	'	- '	' <del></del>	-'